

Refine Search

Search Results -

Terms	Documents
L13 and L20	4

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21



Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, October 31, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L21</u>	l13 and L20	4	<u>L21</u>
<u>L20</u>	L1 same (l16 or arbiter\$6 or rank or class)	575	<u>L20</u>
<u>L19</u>	L13 same (l16 or arbiter\$6)	1	<u>L19</u>
<u>L18</u>	L17 and (rank or class or type)	73	<u>L18</u>
<u>L17</u>	l13 and L16	86	<u>L17</u>
<u>L16</u>	priorit\$5	602409	<u>L16</u>
<u>L15</u>	l13 and L14	1	<u>L15</u>
<u>L14</u>	l1 with (rank\$4 or class\$2)	84	<u>L14</u>
<u>L13</u>	l10 same l1 same L12	124	<u>L13</u>
<u>L12</u>	server	356842	<u>L12</u>
<u>L11</u>	l1 same l9 same L10	9	<u>L11</u>
<u>L10</u>	cach\$4	137967	<u>L10</u>
<u>L9</u>	(request or transcation) near7 priorit\$5	15403	<u>L9</u>

<u>L8</u>	("which" near3 l1)	0	<u>L8</u>
<u>L7</u>	(which near3 l1)	0	<u>L7</u>
<u>L6</u>	(which near3 l1) with cach\$4	0	<u>L6</u>
<u>L5</u>	which near3 l1 near5 cach\$4	0	<u>L5</u>
<u>L4</u>	which near3 l1 near5 cache	0	<u>L4</u>
<u>L3</u>	(priorit\$5 or rank\$4) with L2	11	<u>L3</u>
<u>L2</u>	cach\$4 with L1	2386	<u>L2</u>
<u>L1</u>	sub-memory or submemory or (sub adj memory) or (memory near3 subsystem)	11889	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 with L10	16

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

122 and L23

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, October 31, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L23</u>	l14 with l10	16	<u>L23</u>
<u>L22</u>	l16 same power	31259	<u>L22</u>
<u>L21</u>	l13 and L20	4	<u>L21</u>
<u>L20</u>	L1 same (l16 or arbiter\$6 or rank or class)	575	<u>L20</u>
<u>L19</u>	L13 same (l16 or arbiter\$6)	1	<u>L19</u>
<u>L18</u>	L17 and (rank or class or type)	73	<u>L18</u>
<u>L17</u>	l13 and L16	86	<u>L17</u>
<u>L16</u>	priorit\$5	602409	<u>L16</u>
<u>L15</u>	l13 and L14	1	<u>L15</u>
<u>L14</u>	l1 with (rank\$4 or class\$2)	84	<u>L14</u>
<u>L13</u>	l10 same l1 same L12	124	<u>L13</u>
<u>L12</u>	server	356842	<u>L12</u>
<u>L11</u>	l1 same l9 same L10	9	<u>L11</u>

<u>L10</u>	cach\$4	137967	<u>L10</u>
<u>L9</u>	(request or transcation) near7 priorit\$5	15403	<u>L9</u>
<u>L8</u>	("which" near3 l1)	0	<u>L8</u>
<u>L7</u>	(which near3 l1)	0	<u>L7</u>
<u>L6</u>	(which near3 l1) with cach\$4	0	<u>L6</u>
<u>L5</u>	which near3 l1 near5 cach\$4	0	<u>L5</u>
<u>L4</u>	which near3 l1 near5 cache	0	<u>L4</u>
<u>L3</u>	(priorit\$5 or rank\$4) with L2	11	<u>L3</u>
<u>L2</u>	cach\$4 with L1	2386	<u>L2</u>
<u>L1</u>	sub-memory or submemory or (sub adj memory) or (memory near3 subsystem)	11889	<u>L1</u>

END OF SEARCH HISTORY